
Examples

| | | |
|---------------------|---|-----|
| Example 1-1 | Chunk of OpenGL Code | 6 |
| Example 1-2 | Simple OpenGL Program Using GLUT: hello.c | 18 |
| Example 1-3 | Double-Buffered Program: double.c..... | 24 |
| Example 2-1 | Reshape Callback Function..... | 36 |
| Example 2-2 | Legal Uses of glVertex*()..... | 41 |
| Example 2-3 | Filled Polygon..... | 42 |
| Example 2-4 | Other Constructs between glBegin() and glEnd()..... | 46 |
| Example 2-5 | Line Stipple Patterns: lines.c..... | 53 |
| Example 2-6 | Polygon Stipple Patterns: polys.c | 60 |
| Example 2-7 | Marking Polygon Boundary Edges..... | 63 |
| Example 2-8 | Surface Normals at Vertices | 64 |
| Example 2-9 | Enabling and Loading Vertex Arrays: varray.c | 69 |
| Example 2-10 | Using glVertexArrayElement() to Define Colors and Vertices | 71 |
| Example 2-11 | Two Ways to Use glDrawElements() | 73 |
| Example 2-12 | Effect of glInterleavedArrays(format, stride, pointer)..... | 76 |
| Example 2-13 | Drawing an Icosahedron | 84 |
| Example 2-14 | Generating Normal Vectors for a Surface | 85 |
| Example 2-15 | Calculating the Normalized Cross Product of Two Vectors..... | 85 |
| Example 2-16 | Single Subdivision | 87 |
| Example 2-17 | Recursive Subdivision | 88 |
| Example 2-18 | Generalized Subdivision | 89 |
| Example 3-1 | Transformed Cube: cube.c | 98 |
| Example 3-2 | Using Modeling Transformations: model.c | 112 |

| | | |
|--------------------|---|-----|
| Example 3-3 | Calculating Field of View | 131 |
| Example 3-4 | Pushing and Popping the Matrix | 134 |
| Example 3-5 | Wireframe Sphere with Two Clipping Planes: clip.c..... | 138 |
| Example 3-6 | Planetary System: planet.c | 141 |
| Example 3-7 | Robot Arm: robot.c | 144 |
| Example 3-8 | Reversing the Geometric Processing Pipeline: unproject.c..... | 148 |
| Example 4-1 | Drawing a Smooth-Shaded Triangle: smooth.c | 166 |
| Example 5-1 | Drawing a Lit Sphere: light.c | 176 |
| Example 5-2 | Defining Colors and Position for a Light Source..... | 181 |
| Example 5-3 | Second Light Source | 186 |
| Example 5-4 | Stationary Light Source..... | 187 |
| Example 5-5 | Independently Moving Light Source | 188 |
| Example 5-6 | Moving a Light with Modeling Transformations: movelight.c | 189 |
| Example 5-7 | Light Source That Moves with the Viewpoint..... | 191 |
| Example 5-8 | Different Material Properties: material.c | 199 |
| Example 5-9 | Using glColorMaterial(): colormat.c..... | 202 |
| Example 6-1 | Blending Example: alpha.c | 220 |
| Example 6-2 | Three-Dimensional Blending: alpha3D.c..... | 223 |
| Example 6-3 | Antialiased lines: aargb.c | 229 |
| Example 6-4 | Antialiasing in Color-Index Mode: aaindex.c..... | 232 |
| Example 6-5 | Antialiasing Filled Polygons: apoly.c | 236 |
| Example 6-6 | Five Fogged Spheres in RGBA Mode: fog.c | 240 |
| Example 6-7 | Fog in Color-Index Mode: fogindex.c | 245 |
| Example 6-8 | Polygon Offset to Eliminate Visual Artifacts: polyoff.c | 249 |
| Example 7-1 | Creating a Display List: torus.c..... | 253 |
| Example 7-2 | Using a Display List: list.c | 259 |
| Example 7-3 | Hierarchical Display List | 266 |
| Example 7-4 | Defining Multiple Display Lists..... | 268 |
| Example 7-5 | Multiple Display Lists to Define a Stroked Font: stroke.c..... | 269 |
| Example 7-6 | Persistence of State Changes after Execution of a Display List | 273 |
| Example 7-7 | Restoring State Variables within a Display List | 274 |

| | | |
|---------------------|---|-----|
| Example 7-8 | The Display List May or May Not Affect drawLine()..... | 274 |
| Example 7-9 | Display Lists for Mode Changes..... | 275 |
| Example 8-1 | Drawing a Bitmapped Character: drawf.c | 280 |
| Example 8-2 | Drawing a Complete Font: font.c..... | 287 |
| Example 8-3 | Use of glDrawPixels(): image.c..... | 294 |
| Example 8-4 | Drawing, Copying, and Zooming Pixel Data: image.c | 306 |
| Example 9-1 | Texture-Mapped Checkerboard: checker.c..... | 323 |
| Example 9-2 | Querying Texture Resources with a Texture Proxy..... | 331 |
| Example 9-3 | Replacing a Texture Subimage: texsub.c..... | 333 |
| Example 9-4 | Mipmap Textures: mipmap.c | 340 |
| Example 9-5 | Binding Texture Objects: texbind.c | 348 |
| Example 9-6 | Automatic Texture-Coordinate Generation: texgen.c | 365 |
| Example 10-1 | Using the Stencil Test: stencil.c..... | 387 |
| Example 10-2 | Routines for Jittering the Viewing Volume: accpersp.c..... | 397 |
| Example 10-3 | Scene Antialiasing: accpersp.c..... | 398 |
| Example 10-4 | Jittering with an Orthographic Projection: accanti.c..... | 401 |
| Example 10-5 | Depth-of-Field Effect: dof.c..... | 404 |
| Example 11-1 | Registering Tessellation Callbacks: tess.c | 414 |
| Example 11-2 | Vertex and Combine Callbacks: tess.c..... | 415 |
| Example 11-3 | Polygon Definition: tess.c | 424 |
| Example 11-4 | Quadrics Objects: quadric.c | 433 |
| Example 12-1 | Bézier Curve with Four Control Points: bezcurve.c | 441 |
| Example 12-2 | Bézier Surface: bezsurf.c | 448 |
| Example 12-3 | Lit, Shaded Bézier Surface Using a Mesh: bezmesh.c..... | 451 |
| Example 12-4 | Using Evaluators for Textures: texturesurf.c | 452 |
| Example 12-5 | NURBS Surface: surface.c..... | 456 |
| Example 12-6 | Trimming a NURBS Surface: trim.c | 467 |
| Example 13-1 | Creating a Name Stack..... | 473 |

| | | |
|---------------------|--|-----|
| Example 13-2 | Selection Example: select.c..... | 475 |
| Example 13-3 | Picking Example: picksquare.c | 480 |
| Example 13-4 | Creating Multiple Names | 483 |
| Example 13-5 | Using Multiple Names | 484 |
| Example 13-6 | Picking with Depth Values: pickdepth.c | 486 |
| Example 13-7 | Feedback Mode: feedback.c..... | 495 |
| Example 14-1 | Querying and Printing an Error..... | 503 |
| Example 14-2 | Find Out If An Extension Is Supported..... | 505 |